

### SECTION 1: Identification

#### 1.1. Identification

Product name : UV Invisible Fluorescent Paint

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Liquid

#### 1.3. Details of the supplier of the safety data sheet

GloManiaUSA  
8106 S Spectrum Cove  
Sandy, UT 84093

#### 1.4. Emergency telephone number

Emergency number : 801-386-3117

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

SkinSens.2H317  
Eye Sens. H320

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) :

H317 - May cause an allergic skin reaction  
H320 - Causes eye irritation

Precautionary statements (GHS-US)

P202 - Do not handle until all safety precautions have been read and understood  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302+P352 - If on skin: Wash with plenty of water  
P308+P313 - If exposed or concerned: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P363 - Wash contaminated clothing before reuse  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

INGREDIENTS GAS NUMBER % ACGIH-TLV OSHA-PEL

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

# UV Invisible Fluorescent Paint

## Safety Data Sheet

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
AMMONIUM HYDROXIDE(28%)	(CAS No) 1336-21-6	< .10	Acute Tox. 4 (Dermal), H312 Skin Sens. 2, H317

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove from exposure immediately. Use a bag valve mask or similar device to perform artificial respiration (rescue breathing).
- First-aid measures after skin contact : Wash exposed areas with soap and water. See a physician.
- First-aid measures after eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- First-aid measures after ingestion : Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : May cause slight irritation.
- Symptoms/injuries after ingestion : May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : None known.
- Explosion hazard : None known.

### 5.3. Advice for firefighters

- Protection during firefighting : Firefighters should wear full protective gear.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop the flow of material, if this is without risk.
- Methods for cleaning up : Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up while avoiding dust generation and place in a bag and for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

### 6.4. Reference to other sections

No additional information available

# UV Invisible Fluorescent Paint

## Safety Data Sheet

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid eye and skin contact. Avoid spilling. Maintain good housekeeping standards to avoid accumulation of dust.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a sealed container in a cool, dry place. Avoid dispersion of dust in to the air to reduce potential explosion hazard. Avoid contact with liquids. Eliminate ignition sources. Avoid static charge build-up.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available.

#### 8.2. Exposure controls

Appropriate engineering controls : General (mechanical) room ventilation is expected to be satisfactory for normal handling.  
Hand protection : Use protective gloves to minimize skin contact.  
Eye protection : Wear safety glasses with side shield for normal handling. Use dust proof goggles for dusty conditions.  
Skin and body protection : Wear appropriate working clothes.  
Respiratory protection : If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid  
Color : White  
Odor : Odorless  
Odor threshold : No D/A  
pH : 7  
pH solution : 7  
Melting point : No D/A  
Freezing point : >7°C  
Boiling point : No D/A  
Flash point : No D/A  
Relative evaporation rate (butyl acetate=1) : No D/a  
Flammability (solid, gas) : No D/A  
Vapor pressure : No D/A  
Relative vapor density at 20 °C : No D/A  
Relative density : No D/A  
Solubility : Insoluble in water  
Log Pow : Insoluble.  
Auto-ignition temperature : 1200°C  
Weight per Qube Meter : 3.5 - 3.65  
Specific Gravity : 3.7 - 4.1  
Polymerization : Will not occur  
Conditions to avoid : Contact with acids  
Incompatibility : Contact with acids  
Extinguishing Media : Water  
Hazardous composition : Will not occur

#### 9.2. Other information

No additional information available

# UV Invisible Fluorescent Paint

## Safety Data Sheet

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

Will not occur.

#### 10.4. Conditions to avoid

Avoid dust generation.

#### 10.5. Incompatible materials

Not determined.

#### 10.6. Hazardous decomposition products

Not determined.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Formaldehyde-melamine polymer, methylated (68002-20-0)	
LD50 oral rat	12300 µl/kg
ATE US (dermal)	1100 mg/kg body weight
Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 6'-(diethylamino)-2'-[(2,4-dimethylphenyl)amino]-3'-methyl- (36431-22-8)	
LD50 oral rat	> 10000 mg/kg

Skin corrosion/irritation : Not classified  
eye damage/irritation : Not classified  
Respiratory or skin sensitization : May cause an allergic skin  
Germ cell mutagenicity reaction. : Not classified  
Carcinogenicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

365 nm

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

# UV Invisible Fluorescent Paint

## Safety Data Sheet

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
--------------------------	---

#### 15.2. US State regulations

No additional information available

### SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Skin Sens. 2	Skin sensitization Category 2
H317	May cause an allergic skin reaction

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*