

**SAFETY DATA SHEET**

**1. IDENTIFICATION OF THE PRODUCT**

**Product name:** UV Neon Black Light Paint Yellow

**Company:** GloManiaUSA Llc

**Address:** The Barn, 8106 S Spectrum Cove, Sandy Utah 84093 USA

TEL: +1 ( 801 ) 386 3117

**Website:** [www.glomania.com](http://www.glomania.com) , E-mail: [esp@glomania.com](mailto:esp@glomania.com)

**2. HAZARDS IDENTIFICATION**

**Classification of the substance and mixture**

Acute toxicity, Oral (Category 4)  
 Skin irritation (Category 2)

**Label elements**

Pictogram



Signal word

Warning

Hazard statement(s)

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary statement(s)

Prevent	P261	Avoid breathing dust/fume/gas/mist/spray
	P264	Wash thoroughly after handling
	P270	Do not eat. Drink or smoke when using this product
	P280	Wear protective gloves
Response	P301 + P312	If swallowed : call a physician if you feel unwell If on skin : Wash with soap and water
	P302 + P352	
	P305 + P351 +P338	If in eyes rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332 + P313	If skin irritation occurs : Get medical advice/attention
	P337 + P313	If eye irritation persists : Get medical advice/attention
Disposal	P501	Dispose of contents/container to a licensed company

Supplemental hazard statement(s) No data available

### 3. COMPOSITION/INFORMATION ABOUT COMPONENTS

CHEMICAL NAME	CAS NO	weight Percent
Rhodamine 6G	989-38-8	25%
Ethyl Violet	2390-59-2	20%
Solvent Yellow 172	68427-35-0	55%
melamine formaldehyde resin	68002-20-0	0.2%
Amonia	7664-41-7	15%
Amorphous Silica	7631-86-9	50%
Propylene Glycol	57-55-6	40%

### 4. EMERGENCY AND FIRST AID MEASURES.

**General advice**

- If Inhaled Remove from exposure immediately. Place in fresh air
- On Skin Contact Wash with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15-20 minutes).
- On Contact with Eyes Wash eyes immediately with large amounts of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains. Get medical attention immediately.
- On Ingestion If vomiting occurs, keep head lower than hips to help prevent aspiration.

### 5. FIRE-FIGHTING MEASURES

- Extinguishing media Regular dry chemical, carbon dioxide, water, regular foam
- Special exposure hazards Slight fire hazard. Dust/air mixtures may ignite or explode.
- Hazardous combustion products Avoid inhalation of material or combustion by-products.
- Protection against fire Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Stay upwind and keep out of low areas.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions
- Environmental precautions
- After spillage / leakage Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.



The Barn 8106 Spectrum Cove, Sandy, Utah 84093 USA

## 7. HANDLING AND STORAGE

Handling and Storage

Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Personal protection

- Respiratory protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

- Skin protection

Wear appropriate chemical resistant clothing and gloves.

- Eye protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

- Ingestion

**If swallowed do not induce vomiting, but give one to two glasses of water to drink and seek medical attention**

Industrial hygiene

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and physical state

Liquid

Color

Yellow

Odour

Slight Odor

pH value

6~ 7

Moisture content (%)

Not applicable

Specific gravity

1.1 (water = 1)

Boiling point/range [°C]

Not applicable

Flash point [°C]

Not applicable

Thermal Resistance

≥130°C

Tinting Strength

≥98%

Sunlight Fastness

2.5-3 class

Solubility in water

N/A g/l (25 deg C)

Solubility in ethanol

Not soluble.

Oil absorption

50-55%

Explosion limits - upper [%]

No occupational exposure limits established

## 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

No data available

Possible of hazardous reactions

No data available

Condition to avoid

No data available

Incompatible materials

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Thermal decomposition products: oxides of carbon

Other decomposition products

No data available



The Barn 8106 Spectrum Cove, Sandy, Utah 84093 USA

## 11. TOXICOLOGICAL INFORMATION

Acute oral Toxicity(LD50)	No data available
Rabbit dermal LD50 [mg/kg]	No data available
Rat inhalation PO50 [mg/1/4h]	No data available
Dermal irritation (rabbit)	No data available
Mutagenicity	No data available
Reproductive effects	No data available

## 12. ECOLOGICAL INFORMATION

Fish Toxicity	No data available
Test Species	No data available
Test time	No data available
WGK (Water risk class)	No data available
Biodegradation [%]	No data available

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal	Dispose in accordance with all applicable regulations.
----------------	--

## 14. TRANSPORT INFORMATION

UN Number	No data available
UN proper shipping name	No data available
Transport hazard class(es)	No data available
Packaging group	No data available
Environment hazards	No data available
Special precautions for user	No data available

## 15. REGULATORY INFORMATION

TSCA inventory status	No data available
TSCA 12(b) export notification	No data available

## 16. OTHER INFORMATION

Recommended uses and restrictions	None
California Proposition 65	Warning: This product contains a substance known to the State of California to cause cancer

Chemical Name	CAS No
Amorphous Silica	7631-86-9
melamine formaldehyde resin	68002-20-0

**DISCLAIMER OF LIABILITY:** The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.